


ARCHITECTS SPECIFICATIONS MODEL 8804 LED RACING SCOREBOARD



тм	MODEL 8804 LED RACING SCOREBOARD
OUTDOOR SCOREBOARD 8804 RACING	
OVERALL DIMENSION	16'6" high x 4' wide x 4.75" deep.
INFORMATION DISPLAYED	Lap, 4 Positions
DIGITS	Bright Red, 7-Segment LEDs.
LAP	21" High Digits, Shall Register 0-99.
POSITION	21" High Digits, Shall register 00-09, 0-99.
CAPTIONS	White vinyl letters.
CONSTRUCTION	4" extruded aluminum case, .093" thick. ace panels made from shatter resistant polycarbonate, finished in choice of colors (Black, Navy, Blue, Bright Blue, Purple, Maroon, Red, Forest Green, Green, custom colors available).
ELECTRONICS	100% solid state, microprocessor controlled system.
SERVICING	Front access for ease of servicing. Plug in modules for ease of replacement.
SOFTWARE COMPATIBILITY	Ability to receive information from MYLAPS Orbits/ AMB timing software. (Software not included.)
MICROPROCESSOR CONTROL CONSOLE	Extruded Aluminum, high impact low profile microprocessor control console, latest state of the art, user friendly. Size: 13.25" wide x 5" high x 9" deep. Weights: 6 lbs. Microprocessor to be supplied with 25 feet of cable (hardwire). Microprocessor control console with membrane keyboard provides for direct entry of all information. Radio Control is available.
JUNCTION BOX	One junction box 5" x 3" with cover and plug. (Hardwire)
DATA CABLE	Twisted pair, direct burial, RJ45.
POWER REQUIREMENTS	115 VAC, 60 Hz. Minimum one 20A circuit is recommended.
INSTALLATION	May be installed on two posts. Mounting brackets are supplied with scoreboard.
WEIGHT	Net 240 lbs. / Estimated Shipping 350 lbs.
WARRANTY	Five year guarantee against defects in materials and workmanship. Factory repair service for parts in warranty. Union label.