

PRODUCT SPECIFICATIONS

BASEBALL SCOREBOARD

ALL AMERICAN

SCOREBOARDS®

OUTDOOR SCOREBOARD


BA9106




STANDARD COLORS (CUSTOM COLORS AVAILABLE)

BLACK	NAVY	BLUE	BRIGHT BLUE	SKY BLUE	PURPLE	BURGUNDY	RED	FOREST GREEN	GREEN
-------	------	------	-------------	----------	--------	----------	-----	--------------	-------

Available Options:


AT BAT 14 BA9106AB	 BA9106G	HIT/ERROR E4 BA9106HE	PITCH COUNT 104 BA9106PC	MPH 104 BA9106PS
--------------------------	---	-----------------------------	--------------------------------	------------------------



HOME 3 INN 5 GUEST 2

BALL 2 STRIKE 0 OUT 2


ALL AMERICAN



HOME 3 INN 5 GUEST 2

BALL 2 STRIKE 0 OUT 2

BA9106HEI



HOME 3 INN 5 GUEST 2

BALL 2 STRIKE 0 OUT 2

AT BAT 14

BA9106

BA9106AB

OVERALL DIMENSION	5' High x 10' Wide x 5" Depth. Style available in other sizes.
CONSTRUCTION	Fabricated 20 and 22 GA Powder Coated Galvanneal.
INFORMATION	Home & Guest Runs (16"), Inning up to 19 (14"), Ball, Strike, Out, Hit (14")
CAPTIONS	White vinyl captions: Home & Guest (6.25"), Inn, Ball, Strike, Out (5")
HORN	Optional 100dB or 110 dB horn available. Recommended to be wired at time of manufacture.
ELECTRONICS / DIGITS	100% solid state, microprocessor controlled system with locking connectors. Ultra bright, exposed Red LED digits.
SERVICING	Sign will be serviceable by removing the home score face to access components.
COMMUNICATION	Radio communication is standard using a 2.4 GHz Frequency hopping spread spectrum transceiver. Hardwire optional on scoreboard, recommended to be installed at time of manufacture.
POWER REQUIREMENTS	100-270VAC, (1.3 Amp. @ 120VAC). Installer to provide connection point or junction box to scoreboard. 20 Amp circuit recommended.
INSTALLATION	May be mounted to a minimum of 2 posts/beams using the Unistrut that is mounted to the top and bottom backs of the scoreboard. Number and size of beams is dependent on soil condition and IBC wind loading requirements. Hardware supplied to pressure mount to I-Beams.
ESTIMATED WEIGHT	216 lbs. Estimated Shipping Dims: 126x23x83, 398#
WARRANTY	Five year guarantee against defects in materials and workmanship. Factory repair service for parts in warranty. Union label. UL Certified.
ADDITIONAL OPTIONS MODEL NUMBER + ()	Graphic Area (G), Pitch Count (PC), At Bat (AB), Hit/Error (HE), or Pitch Speed(PS). Hit Error Indicators (HEI). Protective Lens Kit (PLK + Model Number). White, Green, Amber digits available (Red is standard). Deluxe Trim (different colored powdercoated top and bottom caps). LED Team Names.
AVAILABLE CONTROL CONSOLE (SOLD SEPARATELY)	MSC9000 (Multi-sport Desktop Console) Extruded Aluminum, high impact low profile microprocessor control console. 5" high x 10.25" wide x 9" deep. Weight: 4.3 lbs. Radio (1600 ft) is standard, simultaneous hardwire option included. Internal rechargeable battery. Switch between multiple sports by removing and replacing the slip sheet. HRBA9000 (Handheld Baseball Remote) 6.5" high x 3" wide x 1" deep. Radio (500 ft) is standard. Internal rechargeable battery.

PRODUCT SPECIFICATIONS

BA9106 OPTIONS

<p>BA9106HEI</p> <p>2" Hit/Error Indicators (HEI) indicators.</p>	
<p>BA9106AB</p> <p>14" AT BAT (AB) digits. Ball, Strike, Out shifted over to accomodate.</p> <p>AT BAT not editable with HRBA9000 Remote</p>	
<p>BA9106HE</p> <p>14" HIT ERROR (HE) digits. Ball, Strike, Out shifted over to accommodate.</p> <p>Error Position Number not editable with HRBA9000 Remote</p>	
<p>BA9106PC</p> <p>14" PITCH COUNT (PC) digits (up to 199). Ball, Strike, Out shifted over to accommodate.</p>	
<p>BA9106PS</p> <p>14" PITCH SPEED (PS) digits (up to 199). Ball, Strike, Out shifted over to accommodate.</p> <p>Pitch Speed not available with HRBA9000 Remote</p>	
<p>BA9106G</p> <p>Approx. 2'x3.5' Graphics Area (G) added. Ball, Strike, Out shifted over to accommodate.</p>	


PRODUCT SPECIFICATIONS

BA9106 OPTIONS

Deluxe Trim

Top and bottom caps powdercoated a different color than rest of scoreboard. This is a modern, more permanent version of edge trim.


Shown: Purple with Sky Blue Deluxe Trim



LED TEAM NAMES

8x40 Pixel Matrix, 6" High Fonts

LED Team Names require MSC9000 Console.



PLK + MODEL NUMBER

Protective Lenses Installed in front of each digit assembly.

