



PRODUCT SPECIFICATIONS  
**BASEBALL SCOREBOARD**

# ALL AMERICAN

## SCOREBOARDS



Available Options:



<b>OVERALL DIMENSION</b>	6' High x 12' Wide x 5" Depth. Style available in other sizes.
<b>CONSTRUCTION</b>	Fabricated 20 and 22 GA Powder Coated Galvanneal. 1 Cabinet Design.
<b>INFORMATION</b>	Home & Guest Runs (18"), Inning (18"), Ball, Strike, Out, Hit (18")
<b>CAPTIONS</b>	White vinyl captions: Home & Guest (8"), Inn (6"), Ball, Strike, Out (8")
<b>HORN</b>	Optional 100dB or 110 dB horn available. Recommended to be wired at time of manufacture.
<b>ELECTRONICS / DIGITS</b>	100% solid state, microprocessor controlled system with locking connectors. Ultra bright, exposed Red LED digits.
<b>SERVICING</b>	Sign will be serviceable by removing the home score face to access components.
<b>COMMUNICATION</b>	Radio communication is standard using a 2.4 GHz Frequency hopping spread spectrum transceiver. Hardwire optional on scoreboard, recommended to be installed at time of manufacture.
<b>POWER REQUIREMENTS</b>	100-270VAC, (2.6 Amp. @ 120VAC). Installer to provide connection point or junction box to scoreboard. 20 Amp circuit recommended.
<b>INSTALLATION</b>	May be mounted to a minimum of 2 posts/beams using the Unistrut that is mounted to the top and bottom backs of the scoreboard. Number and size of beams is dependent on soil condition and IBC wind loading requirements. Hardware supplied to pressure mount to I-Beams.
<b>ESTIMATED WEIGHT</b>	290 lbs. Estimated Shipping Dims: 150x23x95, 535#
<b>WARRANTY</b>	Five year guarantee against defects in materials and workmanship. Factory repair service for parts in warranty. Union label. UL Certified.
<b>ADDITIONAL OPTIONS</b> MODEL NUMBER + ( )	Graphic Area (G), Pitch Count (PC), At Bat (AB), Hit/Error (HE), or Pitch Speed(PS). Hit Error Indicators (HEI). Protective Lens Kit (PLK + Model Number). White, Green, Amber digits available (Red is standard). Deluxe Trim (different color powdercoated top and bottom caps). LED Team Names.
<b>AVAILABLE CONTROL CONSOLE</b> (SOLD SEPARATELY)	<b>MSC9000 (Multi-sport Desktop Console)</b> Extruded Aluminum, high impact low profile microprocessor control console. 5" high x 10.25" wide x 9" deep. Weight: 4.3 lbs. Radio (1600 ft) is standard, simultaneous hardwire option included. Internal rechargeable battery. Switch between multiple sports by removing and replacing the slip sheet. <b>HRBA9000 (Handheld Baseball Remote)</b> 6.5" high x 3" wide x 1" deep. Radio (500 ft) is standard. Internal rechargeable battery.

PRODUCT SPECIFICATIONS  
**BA9126 OPTIONS**


<p><b>BA9126HEI</b></p> <p>3" Hit/Error Indicators (HEI) indicators.</p>	
<p><b>BA9126AB</b></p> <p>18" AT BAT (AB) digits.              Ball, Strike, Out shifted over to accommodate.</p> <p>AT BAT not controllable with HRBA9000 Remote</p>	
<p><b>BA9126HE</b></p> <p>18" HIT ERROR (HE) digits.              Ball, Strike, Out shifted over to accommodate.</p> <p>Error position number not editable with HRBA9000 Remote</p>	
<p><b>BA9126PC</b></p> <p>18" PITCH COUNT (PC) digits (up to 199).              Ball, Strike, Out shifted over to accommodate.</p>	
<p><b>BA9126PS</b></p> <p>18" PITCH SPEED (PS) digits (up to 199).              Ball, Strike, Out shifted over to accommodate.</p> <p>Pitch Speed not available with HRBA9000 Remote</p>	
<p><b>BA9126G</b></p> <p>Approx. 3'x4' Graphics Area (G) added.              Ball, Strike, Out shifted over to accommodate.</p>	

PRODUCT SPECIFICATIONS  
**BA9126 OPTIONS**

### Deluxe Trim

Top and bottom caps powdercoated a different color than rest of scoreboard. This is a modern, more permanent version of edge trim.


Shown: Black with Orange Deluxe Trim



### LED TEAM NAMES

8x40 Pixel Matrix, 6" High Fonts

LED Team Names require MSC9000 Console.



### PLK + MODEL NUMBER

Protective Lenses Installed in front of each digit assembly.

