

PRODUCT SPECIFICATIONS

LINESCORE BASEBALL SCOREBOARD

ALL AMERICAN

SCOREBOARDS®

OUTDOOR SCOREBOARD

BA9220 + 2 OPTIONS

BA9220 + LEFT OPTION + RIGHT OPTION



STANDARD COLORS

BLACK	NAVY	BLUE	BRIGHT BLUE	SKY BLUE	PURPLE	BURGUNDY	RED	FOREST GREEN	GREEN
-------	------	------	-------------	----------	--------	----------	-----	--------------	-------

Choose 2 Available Options:

AT BAT


39

At Bat (AB)

HIT/ERROR

EE

Hit/Error (HE)



Graphics (G)

PITCH COUNT


102

Pitch Count (PC)

PITCH SPEED

102 MPH

Pitch Speed (PS)



BA9220ABHE

Too many options? See the BA9220 Spec Sheet.

OVERALL DIMENSION	8' High x 22' Wide x 5" Depth. Style available in other sizes.
CONSTRUCTION	Fabricated 20 and 22 GA Powder Coated Galvanneal. 2 Cabinet Installation.
INFORMATION	Home & Guest 10 Inning Line Score (14"). Runs, Hits, Errors (14") Ball, Strike, Out (18"). Two Additional Options (Graphics or 18" Digits)
CAPTIONS	White vinyl captions: Home, Guest (8"). Innings, R, H, E (6.5"). Ball, Strike, Out (8").
HORN	Not Included. Optional 100dB or 110 dB horn available. Recommended to be wired at time of manufacture.
ELECTRONICS / DIGITS	100% solid state, microprocessor controlled system with locking connectors. Ultra bright, exposed Red LED digits.
SERVICING	Sign will be serviceable by removing the HOME runs face to access components.
COMMUNICATION	Radio communication is standard using a 2.4 GHz Frequency hopping spread spectrum transceiver. Hardwire optional on scoreboard, recommended to be installed at time of manufacture.
POWER REQUIREMENTS	100-270VAC, (3.9 - 5.2 Amp @ 120VAC). Installer to provide connection point or junction box to scoreboard. 20 Amp circuit recommended.
INSTALLATION	May be mounted to a minimum of 3 posts/beams using the Unistrut that is mounted to the top and bottom backs of the scoreboard. Number and size of beams is dependent on soil condition and IBC wind loading requirements. Hardware supplied to pressure mount to I-Beams.
ESTIMATED WEIGHT	Approximately 798 lbs. Estimated Shipping Dims: 270x27x71, 1131#
WARRANTY	Five year guarantee against defects in materials and workmanship. Factory repair service for parts in warranty. Union label. UL Certified.
ADDITIONAL OPTIONS MODEL NUMBER + ( ) + ( )	Hit/Error(HE), At Bat(AB), Graphics Area (G), Pitch Count(PC), Home and Guest Pitch Count (PC2), Pitch Speed(PS). Each option to display on either side of Ball Strike Out. Protective Lens Kit (PLK + Model Number). White, Green, Amber digits available (Red is standard). Deluxe Trim (different color powdercoated top and bottom caps). LED Team Names.
AVAILABLE CONTROL CONSOLE (SOLD SEPARATELY)	<b>MSC9000 (Multi-sport Desktop Console)</b> Extruded Aluminum, high impact low profile microprocessor control console. 5" high x 10.25" wide x 9" deep. Weight: 4.3 lbs. Radio (1600 ft) is standard, simultaneous hardwire option included. Internal rechargeable battery. Switch between multiple sports by removing and replacing the slip sheet.

PRODUCT SPECIFICATIONS  
BA9220 + 2 OPTIONS

# All AMERICAN

## SCOREBOARDS

### BA9220ABG

18" AT BAT (AB) digits on left.

3'x5'6" Graphics Area on the right.

AT BAT	BALL	STRIKE	OUT											EAGLES		
39	3	2	2													
	1	2	3	4	5	6	7	8	9	10				R	H	E
GUEST	0	3	0	1	0	0								4	6	1
HOME	0	1	0	2	2									5	8	

### BA9220ABHE

18" AT BAT (AB) digits on left.

18" HIT/ERROR (HE) digits on right.

AT BAT		BALL		STRIKE		OUT		HIT/ERROR					
39		3		2		2		E6					
	1	2	3	4	5	6	7	8	9	10	R	H	E
GUEST	0	3	0	1	0	0					4	6	1
HOME	0	1	0	2	2						5	8	

ALL AMERICAN

### BA9220ABPC

18" AT BAT (AB) digits on left.

18" PITCH COUNT (PC) digits (up to 199) on right. Pitch count toggles between teams.

AT BAT		BALL		STRIKE		OUT		PITCH COUNT								
39		3		2		2		102								
		1	2	3	4	5	6	7	8	9	10		R	H	E	
GUEST	0	3	0	1	0	0							4	6	1	
HOME	0	1	0	2	2								5	8		

ALL AMERICAN

BASEBALL

### BA9220ABPS

18" AT BAT (AB) digits on left.

18" PITCH SPEED (PS) digits (up to 199) on right. Radar Gun sold separately.


AT BAT		BALL					STRIKE			OUT		PITCH SPEED			
39		3					2			2		102 MPH			
		1	2	3	4	5	6	7	8	9	10		R	H	E
GUEST		0	3	0	1	0	0						4	6	1
HOME		0	1	0	2	2							5	8	

ALL AMERICAN

### BA9220GHE

3'x5'6" Graphics Area on the left.

18" HIT/ERROR (HE) on right.

 <b>EAGLES</b>				<b>BALL</b> 3		<b>STRIKE</b> 2		<b>OUT</b> 2		<b>HIT/ERROR</b> E6						
		1	2	3	4	5	6	7	8	9	10		R	H	E	
<b>GUEST</b>				0	3	0	1	0	0					4	6	1
<b>HOME</b>				0	1	0	2	2						5	8	
<small>ALL AMERICAN</small>																

PRODUCT SPECIFICATIONS

BA9220 + 2 OPTIONS


ALL AMERICAN

SCOREBOARDS

BA9220GPC

3'x5'6" Graphics Area on the left.

18" PITCH COUNT (PC) digits (up to 199) on right. Pitch count toggles between teams.

	BALL			STRIKE			OUT			PITCH COUNT			
	3			2			2			102			
	1	2	3	4	5	6	7	8	9	10	R	H	E
GUEST	0	3	0	1	0	0					4	6	1
HOME	0	1	0	2	2						5	8	


ALL AMERICAN

POWER RANKING

BA9220GPS

3'x5'6" Graphics Area on the left.

18" PITCH SPEED (PS) digits (up to 199) on right. Radar Gun sold seperately.


	BALL			STRIKE			OUT			PITCH SPEED			
	3			2			2			102 MPH			
	1	2	3	4	5	6	7	8	9	10	R	H	E
GUEST	0	3	0	1	0	0					4	6	1
HOME	0	1	0	2	2						5	8	

ALL AMERICAN

FOOTBALL

BA9220G2

Two 3'x5'6" Graphics Areas on the right and left sides.

	BALL			STRIKE			OUT			EAGLES			
	3			2			2						
	1	2	3	4	5	6	7	8	9	10	R	H	E
GUEST	0	3	0	1	0	0					4	6	1
HOME	0	1	0	2	2						5	8	

ALL AMERICAN

FOOTBALL

BA9220PC2

18" PITCH COUNT for Home and Guest (PC2) digits (up to 199) on both sides of Ball Strike Out.

HOME		BALL			STRIKE			OUT			GUEST			
93		3			2			2			102			
PITCH COUNT		1	2	3	4	5	6	7	8	9	10	R	H	E
GUEST		0	3	0	1	0	0					4	6	1
HOME		0	1	0	2	2						5	8	

All AMERICAN

BA9220PCHE

18" PITCH COUNT (PC) digits (up to 199) on left. Pitch count toggles between teams.

18" HIT/ERROR (HE) on right.

PITCH COUNT		BALL		STRIKE		OUT		HIT/ERROR					
102		3		2		2		E6					
	1	2	3	4	5	6	7	8	9	10	R	H	E
GUEST	0	3	0	1	0	0					4	6	1
HOME	0	1	0	2	2						5	8	

ALL AMERICAN

PRODUCT SPECIFICATIONS  
**BA9220 + 2 OPTIONS**

# ALL AMERICAN

## SCOREBOARDS

### BA9220PCPS

18" PITCH COUNT (PC) digits (up to 199) on left. Pitch count toggles between teams.

18" PITCH SPEED (PS) digits (up to 199) on right. Radar Gun sold separately.

PITCH COUNT		BALL		STRIKE		OUT		PITCH SPEED					
100		3		2		2		102 MPH					
	1	2	3	4	5	6	7	8	9	10	R	H	E
GUEST	0	3	0	1	0	0					4	6	1
HOME	0	1	0	2	2						5	8	

All American

### BA9220PSHE

18" PITCH SPEED (PS) digits (up to 199) on left. Radar Gun sold separately.

18" HIT/ERROR (HE) digits on right.

PITCH SPEED		BALL		STRIKE		OUT		HIT/ERROR					
102 MPH		3		2		2		E6					
	1	2	3	4	5	6	7	8	9	10	R	H	E
GUEST	0	3	0	1	0	0					4	6	1
HOME	0	1	0	2	2						5	8	

All American

### Deluxe Trim

Top and bottom caps powdercoated a different color than rest of scoreboard. This is a modern, more permanent version of edge trim.

Shown: Sky Blue with Blue Trim. Custom Team Name Graphics.

AT BAT	BALL		STRIKE		OUT		HIT/ERROR						
39	3		2		2		E6						
	1	2	3	4	5	6	7	8	9	10	R	H	E
GUEST	0	3	0	1	0	0					4	6	1
HOME	0	1	0	2	2						5	8	

ALL AMERICAN

### LED TEAM NAMES

8x40 Pixel Matrix, 9" High Fonts

LED Team Names require MSC9000 Console.

AT BAT		BALL		STRIKE		OUT		HIT/ERROR					
39		3		2		2		E6					
	1	2	3	4	5	6	7	8	9	10	R	H	E
CARLS	0	3	0	1	0	0					4	6	1
GOPHERS	0	1	0	2	2						5	8	

All American

### PLK + MODEL NUMBER

Protective Lenses Installed in front of each digit assembly.

