

OUTDOOR SCOREBOARD BA9240 + 2 OPTIONS

BA9240 + LEFT OPTION + RIGHT OPTION

Choose 2
Available Options:AT BAT
39HIT/ERROR
E6

PITCH COUNT
102PITCH SPEED
102 MPH

At Bat (AB)

Hit/Error (HE)

Graphics (G)

Pitch Count (PC)

Pitch Speed (PS)

AT BAT	BALL	STRIKE	OUT	HIT/ERROR
39	3	2	2	E6
	1 2 3 4 5 6 7 8 9 10			R H E
GUEST	0 3 0 1 0 0			4 6 1
HOME	0 1 0 2 2			5 8

BA9240ABHE

STANDARD COLORS (CUSTOM COLORS AVAILABLE)

BLACK NAVY BLUE LIGHT BLUE PURPLE BURGUNDY RED FOREST GREEN GREEN

Too many options? See the BA9240 Spec Sheet.

OVERALL DIMENSION	8' High x 24' Wide x 5" Depth. Additional 1.5" mounting flange on top and bottom. Style available in other sizes.
CONSTRUCTION	Fabricated 20 and 22 GA Powder Coated Galvanneal. 2 Cabinet Installation.
INFORMATION	Home & Guest 10 Inning Line Score (14"). Runs, Hits, Errors (14") Hits, Ball, Strike, Out (18"). Two Additional Options (Graphics or 18" Digits)
CAPTIONS	White vinyl captions: Home, Guest (8"). Innings, R, H, E (6.5"). Ball, Strike, Out (8"). Available graphic area of approx. 3'x6' (Standard on Base Model Only).
HORN	Not Included. Optional 100dB or 110 dB horn available. Recommended to be wired at time of manufacture.
ELECTRONICS / DIGITS	100% solid state, microprocessor controlled system with locking connectors. Ultra bright, exposed Red LED digits.
SERVICING	Sign will be serviceable by removing the home runs face to access components.
COMMUNICATION	Radio communication is standard using a 2.4 GHz Frequency hopping spread spectrum transceiver. Hardwire optional on scoreboard, recommended to be installed at time of manufacture.
POWER REQUIREMENTS	100-270VAC, (3.9-5.2 Amp. @ 120VAC). Installer to provide connection point or junction box to scoreboard. 20 Amp circuit recommended.
INSTALLATION	May be mounted to nearly any wall surface or a minimum of 2 posts/beams. Number and size of beams is dependent on soil condition and IBC wind loading requirements. Hardware supplied to mount by drilling through the scoreboard flange and I-beam. Pressure and additional clamping systems available. Pole/beam installations require supplied mounting bar on flange.
ESTIMATED WEIGHT	755 lbs.
WARRANTY	Five year guarantee against defects in materials and workmanship. Factory repair service for parts in warranty. Union label. UL Certified.
ADDITIONAL OPTIONS MODEL NUMBER + ()	Hit/Error(HE), At Bat(AB), Pitch Count(PC), Home and Guest Pitch Count (PC2), Pitch Speed(PS) on either side of Ball Strike Out. Protective Lens Kit (PLK + Model Number). White, Green, Amber digits available (Red is standard).
AVAILABLE CONTROL CONSOLE (SOLD SEPARATELY)	MSC9000 (Multi-sport Desktop Console) Extruded Aluminum, high impact low profile microprocessor control console. 5" high x 10.25" wide x 9" deep. Weight: 4.3 lbs. Radio (1600 ft) is standard, simultaneous hardwire option included. Internal rechargeable battery. Switch between multiple sports by removing and replacing the slip sheet.

PRODUCT SPECIFICATIONS

BA9240 + 2 OPTIONS


ALL AMERICAN

SCOREBOARDS

BA9240ABG

18" AT BAT (AB) digits on left.

3'x6'6" Graphics Area on the right.

AT BAT		BALL		STRIKE		OUT							
39		3		2		2							
	1	2	3	4	5	6	7	8	9	10	R	H	E
GUEST	0	3	0	1	0	0					4	6	1
HOME	0	1	0	2	2						5	8	

ALL AMERICAN
AMERICAN FOOTBALL

BA9240ABHE

18" AT BAT (AB) digits on left.

18" HIT/ERROR (HE) digits on right.

AT BAT	BALL	STRIKE	OUT	HIT/ERROR									
39	3	2	2	EE									
	1	2	3	4	5	6	7	8	9	10	R	H	E
GUEST	0	3	0	1	0	0					4	6	1
HOME	0	1	0	2	2						5	8	

BA9240ABPC

18" AT BAT (AB) digits on left.

18" PITCH COUNT (PC) digits (up to 199) on right. Pitch count toggles between teams.

AT BAT	BALL	STRIKE	OUT	PITCH COUNT									
39	3	2	2	102									
	1	2	3	4	5	6	7	8	9	10	R	H	E
GUEST	0	3	0	1	0	0					4	6	1
HOME	0	1	0	2	2						5	8	

BA9240ABPS

18" AT BAT (AB) digits on left.


18" PITCH SPEED (PS) digits (up to 199) on right. Radar Gun sold seperately.

AT BAT	BALL	STRIKE	OUT	PITCH SPEED									
39	3	2	2	102 MPH									
	1	2	3	4	5	6	7	8	9	10	R	H	E
GUEST	0	3	0	1	0	0					4	6	1
HOME	0	1	0	2	2						5	8	

BA9240GHE

3'x6'6" Graphics Area on the left.

18" HIT/ERROR (HE) on right.

				BALL	STRIKE	OUT	HIT/ERROR						
				3	2	2	EE						
	1	2	3	4	5	6	7	8	9	10	R	H	E
GUEST	0	3	0	1	0	0					4	6	1
HOME	0	1	0	2	2						5	8	

PRODUCT SPECIFICATIONS

BA9240 + 2 OPTIONS


ALL AMERICAN

SCOREBOARDS

BA9240GPC

3'x6'6" Graphics Area on the left.

18" PITCH COUNT (PC) digits (up to 199) on right. Pitch count toggles between teams.


			BALL			STRIKE			OUT			PITCH COUNT			
			3			2			2			102			
			1	2	3	4	5	6	7	8	9	10	R	H	E
GUEST			0	3	0	1	0	0					4	6	1
HOME			0	1	0	2	2						5	8	

All American

BA9240GPS



3'x6'6" Graphics Area on the left.

18" PITCH SPEED (PS) digits (up to 199) on right. Radar Gun sold seperately.

			BALL			STRIKE			OUT			PITCH SPEED			
			3			2			2			102 MPH			
			1	2	3	4	5	6	7	8	9	10	R	H	E
GUEST			0	3	0	1	0	0					4	6	1
HOME			0	1	0	2	2						5	8	

BA9240G2

Two 3'x6'6" Graphics Areas on the right and left sides.

			BALL			STRIKE			OUT						
			3			2			2						
			1	2	3	4	5	6	7	8	9	10	R	H	E
GUEST			0	3	0	1	0	0					4	6	1
HOME			0	1	0	2	2						5	8	

BA9240PC2

18" PITCH COUNT for Home and Guest (PC2) digits (up to 199) on both sides of Ball Strike Out.

HOME			BALL			STRIKE			OUT			GUEST			
102			3			2			2			102			
PITCH COUNT												PITCH COUNT			
			1	2	3	4	5	6	7	8	9	10	R	H	E
GUEST			0	3	0	1	0	0					4	6	1
HOME			0	1	0	2	2						5	8	
ALL AMERICAN															

BA9240PCHE

18" PITCH COUNT (PC) digits (up to 199) on left. Pitch count toggles between teams.

18" HIT/ERROR (HE) on right.

PITCH COUNT			BALL			STRIKE			OUT			HIT/ERROR		
102			3			2			2			66		
	1	2	3	4	5	6	7	8	9	10		R	H	E
GUEST	0	3	0	1	0							4	6	1
HOME	0	1	0	2	2							5	8	

All American

PRODUCT SPECIFICATIONS

BA9240 + 2 OPTIONS

BA9240PCPS

18" PITCH COUNT (PC) digits (up to 199) on left. Pitch count toggles between teams.

18" PITCH SPEED (PS) digits (up to 199) on right. Radar Gun sold separately.

PITCH COUNT	BALL	STRIKE	OUT	PITCH SPEED
102	3	2	2	102 MPH
	1 2 3 4 5 6 7 8 9 10			R H E
GUEST	0 3 0 1 0 0			4 6 1
HOME	0 1 0 2 2			5 8

BA9240PSHE

18" PITCH SPEED (PS) digits (up to 199) on left. Radar Gun sold separately.

18" HIT/ERROR (HE) digits on right.

PITCH SPEED	BALL	STRIKE	OUT	HIT/ERROR
102 MPH	3	2	2	EE
	1 2 3 4 5 6 7 8 9 10			R H E
GUEST	0 3 0 1 0 0			4 6 1
HOME	0 1 0 2 2			5 8

PLK + Model Number

Protective Lenses Installed in front of each digit assembly.

