PRODUCT SPECIFICATIONS LINESCORE BASEBALL SCOREBOARD



	Available Options: AT BAT BA9240AB BA9240HE BA9240HE BA9240PC BA9240PS BA9240AE DUT AT BAT BAT BA7240HE BA9240PC BA9240PS BA9240HE BA9240HE BA9240PC BA9240PS AT BAT BAT BAT BAT BAT BAT BAT BAT BAT B
OVERALL DIMENSION	8' High x 24' Wide x 5" Depth. Style available in other sizes.
CONSTRUCTION	Fabricated 20 and 22 GA Powder Coated Galvanneal. 2 Cabinet Installation.
INFORMATION	Home & Guest 10 Inning Line Score (14"). Runs, Hits, Errors (14") Hits, Ball, Strike, Out (18").
CAPTIONS	White vinyl captions: Home,Guest (8″). Innings,R,H,E (6.5″). Ball,Strike,Out (8″). Available graphic area of approx. 3'x6' (Standard on Base Model Only).
HORN	Not Included. Optional 100dB or 110 dB horn available. Recommended to be wired at time of manufacture.
ELECTRONICS / DIGITS	100% solid state, microprocessor controlled system with locking connectors. Ultra bright, exposed Red LED digits.
SERVICING	Sign will be serviceable by removing the home runs face to access components.
COMMUNICATION	Radio communication is standard using a 2.4 GHz Frequency hopping spread spectrum transceiver. Hardwire optional on scoreboard, recommended to be installed at time of manufacture.
POWER REQUIREMENTS	100-270VAC, (3.9 Amp.@ 120VAC). Installer to provide connection point or junction box to scoreboard. 20 Amp circuit recommended.
INSTALLATION	May be mounted to a minimum of 3 posts/beams using the Unistrut that is mounted to the top and bottom backs of the scoreboard. Number and size of beams is dependent on soil condition and IBC wind loading requirements. Hardware supplied to pressure mount to I-Beams.
ESTIMATED WEIGHT	838 lbs. Estimated Shipping Dims: 294x27x71, 1200#
WARRANTY	Five year guarantee against defects in materials and workmanship. Factory repair service for parts in warranty. Union label. UL Certified.
ADDITIONAL OPTIONS MODEL NUMBER + ()	Hit/Error(HE), At Bat(AB), Pitch Count(PC), Pitch Speed(PS) in place of the Graphics Area. Protective Lens Kit (PLK + Model Number). White, Green, Amber digits available (Red is standard). Deluxe Trim (different color powdercoated top and bottom caps). LED Team Names.
AVAILABLE CONTROL CONSOLE (SOLD SEPARATELY)	MSC9000 (Multi-sport Desktop Console) Extruded Aluminum, high impact low profile microprocessor control console. 5" high x 10.25" wide x 9" deep. Weight: 4.3 lbs. Radio (1600 ft) is standard, simultaneous hardwire option included. Internal rechargeable battery. Switch between multiple sports by removing and replacing the slip sheet.

PRODUCT SPECIFICATIONS **BA9240 OPTIONS**



BA9240AB 18" AT BAT (AB) digits in place of graphics.	BALL STRIKE 1 2 3 4 5 6 7 8 9 10 R H GUEST 1 1 1 1 </th
BA9240HE 18" HIT/ERROR (HE) digits in place of graphics.	BALL STRIKE 1 2 3 4 5 6 7 8 9 10 R H GUEST 1 1 2 1 2 1 2 1 2 1 2 1 2 2 3 4 5 6 7 8 9 9 10 10 1
BA9240PC 18" PITCH COUNT (PC) digits (up to 199) in place of graphics. Pitch count toggles between teams.	BALL STRIKE 1 2 3 4 5 6 7 8 9 10 R H GUEST 1 1 1 1 1 1 1 1 1 1 1 1 1 2 3 4 5 6 7 8 9 10 1
BA9240PS 18" PITCH SPEED (PS) digits (up to 199) in place of graphics.	BALL STRIKE 1 2 3 4 5 6 7 8 9 10 R H GUEST 1 1 1 1 1 1 1 1 1 1 1 1 1 2 3 4 5 6 7 8 9 10 1
LED TEAM NAMES 8x40 Pixel Matrix, 9" High Fonts LED Team Names require MSC9000 Console.	BALL STRIKE OUT EACLINE R H EACLINE 1 2 3 4 5 6 7 8 9 10 R H E PANTHERS 3 4 5 6 7 8 9 10 R H E PANTHERS 3 4 5 6 7 8 9 10 R H E PANTHERS 3 4 5 6 7 8 9 10 R H E

www.allamericanscoreboards.com • Specifications subject to change without notice • Made in USA

PRODUCT SPECIFICATIONS **BA9240 OPTIONS**

Deluxe Trim

Top and bottom caps powdercoated a different color than rest of scoreboard. This is a modern, more permanent version of edge trim.

Shown: Blue with Sky Blue Trim.

PLK + MODEL NUMBER

Protective Lenses Installed in front of each digit assembly.



